

AEROPORT MOHAMMED V

Code OACI : GMMN
Code IATA : CMN

Terminal facilities :

Area T2 : 66 000 m²

Area T3 : 4 000 m²

Current capacity : 6.5 MPAX per year

Capacity after expansion : 21 MPAX

Aircraft parking :

250 000 m²

Parking in touch : 22 Medium aircrafts
and 13 Jumbo airplanes

Remote parking : 19

Tracks : 2 parallel tracks

Orientation : 17/35

Length : 3 720 m

Width : 45 m

Critical aircraft : B 747

Navigation equipment : VOR- DME- NDB , ILS

Surveillance Equipment : RADAR MSSR / PMR

MET Equipment : Automatic Station

CAT RFF : 9

Precision approach : CATIII -A

■ Development projects :

- T1 Extension
- Central Zone between T1 and T2
- Renovation of the landside façade
- Planning aircraft parking

Area after extension :

- Terminal 1 : 76 000 m²
- Terminal 2 : 66 000 m²
- Central Zone between T1 and T2 : 20 000 m²

■ The airport international connectivity :

- The Casablanca airport is connected to 42 airports and 37 cities in Europe
- 35 cities in Africa
- 5 airports in the Middle-East
- 3 cities in America
- 1 city in the Canary islands

Casablanca

A stylized map of the African continent is shown in a light purple color. A small green dot on the northern coast of Morocco is labeled 'Casablanca'. The map is positioned on the right side of the slide, partially overlapping the text area.

Code OACI : GMMX
Code IATA : RAK

مطار مراكش المنارة محطة 1

Terminal Facilities :

Terminal area : 40 000 m²
Capacity : 4 MPAX per year

Freight Terminal : 42 318 m²

Aircraft parking :

Area : 171 100 m²
Capacity : 26 positions for aircrafts category C
+ 4 positions for aircrafts category E

Track :

Orientation : 10/28
Length : 3 100 m
Width : 45 m
Critical aircraft: B 747

Navigation equipment : ILS CAT II

Radio-navigation equipment : VOR -
DME (Road) and ILS / DME / P
(Landing)

■ Development projects :

- The construction of a New terminal
- The redevelopment of the actual terminal 1

The expected new capacity is estimated to :
9 million passengers per year

- The project aims as well the expansion of the aircrafts parking for an additional capacity of :

- 16 posts medium carriers in contact
- 1 post for the A 380
- 7 posts for jumbo airplanes in large
- External car park (1 000 places), road access



Marrakech

The airport international connectivity :

The Marrakech airport is connected to 53 airports and 48 cities in Europe, in addition to a city in the Maghreb and a city in the Canary Islands.

Code OACI : GMME

Code IATA : RBA

AEROPORT RABAT SALE

Terminal facilities :

Terminal 1 area : 16 000 m²

Terminal 2 area : 3 400 m²

Capacity : 1.5 MPAX per year

Aircraft parking :

Capacity : 13 Jumbo
airplanes and medium haul
aircrafts, 5 posts light aircrafts

Track :

Orientation : 03/21
Length : 3 500 m
Width : 45 m
Critical aircraft: B747

Navigation equipment : ILS CAT II but operated as CAT I.

Radio-navigation equipment : VOR-DME-L



The airport international connectivity :

The Rabat-Salé airport is connected to 10 airports and 7 cities in Europe in addition to a city in the Maghreb

Code OACI : GMTT
Code IATA : TNG



Terminal facilities :

T1 area : 5 500 m² - T2 area : 10 000 m²
Capacity : 1.3 MPAX per year

Freight terminal :

Area : 629 m²

Aircraft parking :

Area : 40 640 m²
Capacity : 4 B 737, 2 B 747, 1 post light
aircraft, 6 positions heliport

Track :

Orientation : 10/28
Length : 3 500 m
Width : 45 m
Critical aircraft : B 747

Navigation equipment : ILS CAT I

Radio-navigation equipment :
VOR-DME / L



The airport international connectivity :

The Tanger airport is connected to 13 airports and 10 cities in Europe

Code OACI : GMFO

Code IATA : OUD

مطار وجدة أنجاد
AEROPORT OUJDA ANGAD

Terminal facilities :

T1 area : 5 000 m² - T2 area : 29 000 m²

Capacity : 3 MPAX per year

Freight Terminal :

Area : 613 m²

Aircraft parking :

Area : 128 604 m²

Capacity : 17 stations

including 06 accosted parking

Tracks :

Track 1 :

Orientation : 06/24

Length : 3 000 m

Width : 45 m

Track2 :

Orientation : 13/31

Length : 3 000 m

Width : 45 m

Navigation equipment for the 2

tracks : ILS CATI

Radio-navigation equipment :

LOCATOR, 2 VOR / DME, 2 ILS /
DME (category I)



The airport international connectivity :

The Oujda airport is connected to 16 airports and 13 cities in Europe



المكتب الوطني للمطارات
Office National Des Aéroports

Code OACI : GMAD
Code IATA : AGA

مطار المنامة
AEROPORT AL-MASSARA



Terminal facilities :

Terminal area : 28 000 m²
Capacity : 3 MPAX per year
Freight Terminal : 1 342 m²

Aircraft parking :

Area : 170 000 m²
Capacity : 3 jumbo carriers, 10 medium Aircrafts,
27 positions general aviation, 4 light aircrafts,
2 positions Heliport.

Track :

Orientation : 27/09
Length : 3 200 m
Width : 45m
Critical aircraft: B747

Navigation Equipment : NDB,

VOR / DME, ILS / DME Class II
CAT RFF : CAT 8



الهيئة الوطنية للمطارات
Other National Box Airports



The airport international connectivity

The Agadir airport is connected to 42 airports and 40 cities in Europe In addition to a city in the Canary Islands



المكتب الوطني للمطارات
Office National des Aéroports

Code OACI : GMTA
Code IATA : AHU

AEROPORT ALHOCEIMA ACHARIF ALIDRISSI



Terminal Facilities :

Terminal area : 4 000 m²

Aircraft parking :

Capacity : 4 aircrafts B 737-800

Development project : The development of the old terminal

Track :

Orientation : 17/35

Length : 2 500 m

Width : 45 m

Radio-navigation equipment :

VOR / DME / NDB



Alhoceima

The airport international connectivity :

RAM : Amsterdam, Brussels
Jet Air Fly : Charleroi

Transavia : Amsterdam, Rotterdam
Corendon Dutch Airlines : Amsterdam



المكتب الوطني للمطارات
Office National Des Aéroports

Code OACI : GMMH
Code IATA : VIL



Terminal facilities :

Terminal area : 2 600 m²

Aircrafts parking :

South Parking :

Area : 18 900 m²

Capacity : 2 airplanes B737-800

North Parking :

Area : 17 670 m²

Capacity : 2 B737-800

Track :

Orientation : 03/21

Length : 3 000 m

Width : 45 m

Critical aircraft : B 737

Navigation equipment :

VOR / DME, ILS being installed





The airport international connectivity :

Canary Fly : Las Palmas

AEROPORT

ESSAOUIRA MOGADOR

مطار العسيرة
مطار الموحدة

Code OACI : GMMI
Code IATA : ESU

Terminal facilities :

Terminal 2 area : 3000 m²

Capacity : 300 000 PAX per year

Aircraft parking :

Area : 12 000 m²

Capacity : 2 B737

Track :

Orientation : 16/34

Length : 2 607 m

Width : 45 m

Critical aircraft : B 737

Radio-navigation equipment : VOR / DME



المكتب الوطني للمطارات
Office National Des Aéroports



The airport international connectivity :

Royal Air Maroc : Paris

Ryanair : Charleroi, Marseille

Transavia : Paris

Code OACI : GMFF
Code IATA : FEZ

AEROPORT FES SAIS



Terminals' facilities :
After extension area :
Terminal 1 : 5 600 m²
Terminal 2 : 26 000 m²

Current capacity :
500 000 MPAX per year
Capacity after expansion :
2.5 MPAX per year

Aircraft parking :
Area : 34 000 m²
Capacity : 4 B737 and
1 B747

Track :
Orientation : 09/27
Length : 3 200 m
Width : 45 m
Critical aircraft : B 747

Navigation Equipment : CAT I ILS
/ DME APP
Radio-navigation equipment :
VOR- ME- NDB

■ Development projects :

- The construction of the terminal 2 of an area of 26 000 m² ;
- The expansion of the aircraft parking by the development of 4 new additional posts ;
- The creation of a new strap connecting with the track ;
- Construction of a RADAR control room ;
- The creation of a city park side vehicles with a capacity of 800 seats.



The airport international connectivity :

The Fès airport is connected to 16 airports and 15 cities in Europe

Code OACI : GMAG
Code IATA : GLN



Terminal facilities :

Terminal 1 area : 210 m²

Aircraft parking :

Area : 20 197 m²

Capacity : 3 B 737-800

Track :

Orientation : 05/23

Length : 3 040 m

Width : 45 m

Critical aircraft : B737-A320

Radio-navigation equipment :

VOR / DME



المكتب الوطني للمطارات
Office National Des Aéroports

■ Development projects :

- Terminal facilities :

- building :

- Construction of a new terminal building with an area of 7 000 m² to welcome an annual capacity of 700 000 passengers ;
- Construction of various buildings (technical block, administrative buildings, SLIA) for an area of 2 000 m²,

- Infrastructure :

- Extension and upgrade of the movement area ;
- Extension of aircraft parking to accommodate 4 medium-haul aircrafts

- Accomplishment of the road access and the vehicles parking with a capacity of 290 places and roads including the road Crossing the Oued Oum El Achaar ;

- Radio navigation facilities :

ILS (GP and LLZ) under construction

Guelmim

The airport international connectivity :

Royal Air Maroc : Casablanca - Tan Tan

Canary Fly : Las Palmas

Code OACI : GMML

Code IATA : EUN

AEROPORT LAAYOUNE HASSAN 1

مطار العيون الحسن الأول

Terminal facilities :

area : 5 400 m²

Capacity : 500 000 PAX per year

Aircraft parking :

Area : 40 000 m²

Capacity : 1 B747 and 3 B737

Track :

Orientation : 02/20 and 04/22

Length : 2 700 m and 2 500 m

Width : 45 m

Critical aircraft : B747

Radio-navigation Equipment : ILS / DME

VOR / DME

Code OACI : GMML
Code IATA : EUN

AEROPORT LAAYOUNE HASSAN 1

مطار العيون الحسن الأول

Terminal facilities :

area : 5 400 m²
Capacity : 500 000 PAX per year

Aircraft parking :

Area : 40 000 m²
Capacity : 5 B738

Track :

Orientation : 02/20 and 04/22
Length : 2 700 m and 2 500 m
Width : 45 m
Critical aircraft : B747

Radio-navigation Equipment : ILS / DME
VOR / DME

Code OACI : GMMW
Code IATA : NDR

AEROPORT NADOR AL ABOU

Terminal facilities:

Terminal area : 5 000 m²
Capacity : 500 000 PAX per year
Capacity after expansion : 2 MPAX per year

Aircraft parking:

Area : 54 000 m²
Capacity : 2 B 747 and
2 B737, 2 ATR

Track:

Orientation : 08/26
Length : 3 000 m
Width : 45 m
Critical aircraft : B 747

Equipment : ILS CAT I

Radio-navigation equipment :
VOR-DME



الهيئة الوطنية للمطارات
Office National des Aéroports

■ Development projects :

- This project involves the expansion and redevelopment of the passenger terminal with an area of 5 000 m², reaching a total area of 20 000 m² ; corresponding to an annual capacity of 2 million passengers per year.
- The expansion of aviation and road infrastructures.

The airport international connectivity :

The Nador airport is connected to 13 airports and 12 cities in Europe

Code OACI : GMMZ
Code IATA : OZZ



Terminal Facilities :

Terminal area : 3 200 m²
Capacity : 300 000 PAX per year

Aircraft parking :

Area : 21 914 m²
Capacity : 3 B 737

Track :

Orientation : 12/30
Length : 3 000 m
Width : 45 m
Critical aircraft : B 737

Navigation equipment :

* ILS CAT II Track 30 : - LLZ code IRZ, frequency 110.3 MHz
- GP / DME 335 MHz CH 40 X
* VOR / DME : Code OZT, frequency 116.7 MHz CH 114 X
* Locator : Code OZT Frequency 384 kHz

AÉROPORT
OUARZAZATE

■ Development projects :

New technical block and control tower: 534 38 m² area

Extension of the existing power station: +96 m²

Extension of the aircraft parking: + 18 000 m²

New strap

Ouarzazate

ARRIVEE الوصل

DEPART الطيار

The airport international connectivity :

Royal Air Maroc : Paris Orly

Air Europa : Madrid

AEROPORT BENI MELLAL

Code OACI : GMMD
Code IATA : BML

طار بني ملال

Terminal facilities :

Terminal area : 1 500 m²

Capacity : 150 000 MPAX per year

Aircraft Parking :

Floor area : 1 400 m²

Capacity : 2 posts (B737, A320)

Track :

Orientation : 05/23


Length : 2 500 m

Width : 45

Critical aircraft : B737-800

Radio-navigation equipment :

VOR Doppler / DME



المجلس الوطني للطيران
Office National des Aéroports



The airport international connectivity :

The Beni Mellal airport is connected to 1 airport and 1 cille in Europe